



**FOLDED
PROFILES**

**COLD-FORMED SECTIONS
PURLINS
GIRTS**



SCHRAG

Endurance and consistency
are the cornerstones of our
services.

Our team of specialists
is ready to help you
realize your needs



SCHRAG.PL

PROFILE YOUR FUTURE



**FOLDED
PROFILES**


PURLINS AND GIRTS

MATERIALS:

- o galvanised steel: S390GD + Z275, S350GD + Z275, DX51D + Z275
- o on special request: S450GD + Z275
- o black steel: S235JR, S355MC, S235J2, DC01, DD11
- o stainless steel, acid-resistant steel, coated steel, aluminium
- o additional protection by powder coating
- o zinc-magnesium coated steel in grades from S320GD to S390GD with coatings ZM310 and ZM410


HOLE PATTERNS

- o round
- o oval (horizontal or vertical orientation)
- o special holes with non-standard shapes and dimensions



BEVEL CUTTING

- o performed before bending using a notching machine



EXAMPLE PROFILES

Z - SECTION




C - SECTION



SIGMA



OMEGA











SPECIAL
PROFILES



Maximum thickness: 4 mm
Maximum length: 16 000 mm

■ SHEET METAL PROCESSING





SCHRAG



**FOLDED
PROFILES**

SCHRAG Polska Sp. z o. o.
ul. Przemysłowa 15
95-050 Konstantynów Łódzki
Tel: (0 42) 211 37 20
Tel: +48 665 422 069
Email: office@schrag.pl

